



# ATTICA

SHOWER ENCLOSURE

SP  
PORCELANOSA



# ATTICA

The simplicity of Attica, free of overhead profiles, brings visual lightness to the bathroom and a larger glass surface.

The technical fittings are designed with a lifting system that allows maximum adjustment of the closure.
















## Elegance and minimalism

The Attica shower screen comes in two finishes: glossy chrome and matte black. Combination of elegance and minimalism in the bathroom.



It has no profiles and the fittings are located at the ends of the glass for a larger glass surface. Lift-up hinges to avoid friction during use.

## Formats

Shower	One wall		Three walls		
					
	<b>Attica P</b>	<b>Attica P10</b>	<b>Attica 2B</b>	<b>Attica 2B+</b>	<b>Attica 9/9B</b>
	from 1000 to 1500 mm	from 1000 to 1500 mm	from 700 to 900 mm	from 1000 to 1300 mm	from 1450 to 1900 mm
			Two walls		
					
	<b>Attica 2C</b>	<b>Attica 5</b>	<b>Attica 4</b>	<b>Attica 9C</b>	<b>Attica 1</b>
	from 700 to 900 mm	from 400 to 1600 mm	from 700 to 1200 mm	from 800 to 1600 mm	from 400 to 1600 mm
			Three walls		
					
	<b>Attica 10</b>	<b>Attica 9</b>	<b>Attica 2</b>	<b>Attica 9/9</b>	<b>Attica 9+</b>
	from 1300 to 1900 mm	from 800 to 1600 mm	from 700 to 900 mm	from 1450 to 1900 mm	from 1200 to 1900 mm

Maximum safety tempered glass of 8 mm, which complies with the EN-12150 standard.  
At the same time, it incorporates as standard the System-Glass treatment that reduces the adhesion of dirt and limescale.

**SystemGlass**





Attica 9



Attica 2C+5

## Finishes

8mm-thick tempered glass



Transparent



Bronze



Matt



Black Mirror



Grey

Screen-printing



Line



Filo



Deco



Opal

Profiles and fittings



Gloss chrome



Matt Black

Manufacturing time: Standard (15 days), Special formats & screen-printing (21 days).



Ctra. Vila-real - Puebla de Arenoso (CV20) Km 1 · 12540 VILA-REAL (CASTELLÓN) SPAIN  
PO/BOX. 372 - Tel: (+34) 964 50 64 64 Fax. (+34) 964 50 64 81  
[krion@krion.com](mailto:krion@krion.com) / [www.krion.com](http://www.krion.com)