



OPTIMA

SHOWER ENCLOSURE

SP
PORCELANOSA

OPTIMA

New family of minimalist design, floor-to-ceiling enclosures. With 8 or 10 mm thick tempered safety glass, with easy-clean treatment (System-Glass) applied.

Different finishes in profiles (gloss and black) and glass (transparent, matt, grey, mirror, bronze or with silk-screen printing to suit the client's taste).

A highly versatile enclosure to cover any type of space thanks to its different models (fixed, doors, partitions or fixed+door) and a maximum height of 2500 mm. As it is a framed enclosure, it gives great strength and robustness to the assembly.

Gloss or Matt Black

Anodised aluminium profiling with two finishes, gloss or matt black, which achieves maximum performance in terms of safety, wear and corrosion resistance.

Standards

ANSI Z97.1-2015 UA 16 CFR 1201 II
EN 14428- 2016



Optima 1+2+9 - Gloss - Matt Glass




Maximum security 8 or 10 mm tempered glass that complies with the EN-12150 standard. It also includes the SYSTEM-GLASS treatment as standard, which reduces the adhesion of dirt and limescale.


SystemGlass

Formats

Optima 1




500 - 999 mm
2200 - 2500 mm




1000 - 1500 mm
2200 - 2500 mm

Optima 2




500 - 650 mm
2151 - 2400 mm




500 - 750 mm
1900 - 2150 mm


Optima 9



800 - 1299 mm
2200 - 2500 mm



1300 - 1799 mm
2200 - 2500 mm



1800 - 2200 mm
2200 - 2500 mm



Optima 9+1 - Matt Black - Grey Glass



Optima 2 - Gloss - Transparent Glass



Optima 1 - Matt Black - Bronze Glass

Finishes

8mm-thick tempered glass



Upper rail, profiles and fittings



Manufacturing time: Standard (15 days), Special formats & screen-printing (21 days).

KRION

PORCELANOSA Grupo

Ctra. Vila-real-Puebla de Arenoso (CV20) Km 1 - 12540 VILA-REAL (CASTELLÓN) SPAIN
PO/BOX. 372 - Tel: (+34) 964 50 64 64 Fax. (+34) 964 50 64 81
krion@krion.com / www.krion.com